




WHEELS

www.atlashandlinguk.co.uk

01527 501 148

WHEELS



WHEELS



WTPR

Grey Rubber on Plastic Centre

50WTPRDL	50	20		6/8	24/21	40
50WTPRGD	50	17		8	21	40
75WTPRDL	75	23		8	30	50
75WTPRGD	75	24		8	25	50
80WTPR	80	32		12	40	60
100WTPRDL	100	27		12	31	75
100WTPRLW	100	32		12	35	90
100WTPRGD	100	24		12	25	80
100WTPR	100	32		12	40	80
125WTPRDL	125	27		12	31	90
125WTPRLW	125	32		12	35	120
125WTPR	125	32		12	45	100
150WTPRLW	150	32		12	35	130



*Anti Static available




WTPRBJG

100WTPRBJG	100	32		8	35	90
125WTPRBJG	125	32		8	35	110
150WTPRBJG	150	32		8	35	120



WTPRBJG BOX

100WTPRBJ BOX	100	30		8	36	70
125WTPRBJ BOX	125	32		8	36	90
160WTPRBJ BOX	160	38		12	59	140
200WTPRBJ BOX	200	42		12	59	200



WGR

Grey Rubber on Plastic Centre

50WGR	50	17		8	22	40
75WGR	75	21		10	24	50
100WGR	100	27		12	31	80
125WGR	125	27		12	31	100



WPSB

Rubber Tyre on Plastic Centre

80WPSB	80	30		12	40	65
100WPSB	100	32		12	40	80
125WPSB	125	37		12	45	100
160WPSB	160	40		20	60	175
200WPSB	200	50		20	60	205
250WLPsRBM	250	60		20/25/25.4	60	250

WHEELS



WEABJ

Elastic Rubber
on Aluminium Centre

80WEABJ	80	36		15	40	100
100WEABJ	100	40		15	40	180
100WEA50BJ	100	50		17	56	220
125WEABJ	125	38		15	41	200
125WEA50BJ	125	50		20/25	56	250
150WEA50BJ	150	50		20/25	56	300
160WEABJ	160	50		20/25	60	350
200WEABJ	200	50		20/25	60	450
250WEABJ	250	50		20/25	60	550



WBSB

Rubber on Steel Disk Centre


80WBSB	80	30		12	40	65
100WBSB	100	32		12	40	80
125WBSB	125	37		12/15	45	100
160WBSB	160	40		20	60	175
200WBSB	200	50		20	60	205



WGRB

Grey Rubber on Plastic Centre

80WGRB	80	30		12	40	65
100WGRB	100	32		12	40	80
125WGRB	125	37		15	45	100
160WGRB	160	40		20	60	175
200WGRB	200	50		20	60	205



WBNB

Blue Synthetic Rubber

80WBNB	80	34		12	40	150
100WBNB	100	34		12	40	180
100WBNB	100	36		12	44	200
125WBNB	125	36		12	46	250
160WBNB	160	45		20	60	350
200WBNB	200	45		20	60	400



WBNBJ

Blue Synthetic Rubber

100WBNBJ	100	50		12	60	150
125WBNBJ	125	50		12	60	210
150WBNBJ	150	50		12	60	300
200WBNBJ	200	45		20	60	400



WRTBJ

Rubber on Cast Iron Centre

100WRT36BJ	100	36		20	43	180
100WRTBJ	100	50		20/25	60	210
125WRT38BJ	125	38		20	45	190
125WRTBJ	125	50		20/25	60	275
150WRTBJ	150	50		20/25	60	400
200WRTBJ	200	50		20/25	60	600
250WRTBJ	250	50		20/25	60	700
300WRTBJ	300	50		20/25	60	800

WHEELS



WHEELS



WPNO Poly Nylon						
80WPNO	80	30		12	40	100
100WPNO	100	30		12	40	150
125WPNO	125	35		15	44	200
150WPNO	150	50		15	45	280
160WPNO	160	38		20	58	250
200WPNO	200	50		20	60	500



WPNOB Poly Nylon						
80WPNOB	80	30		12	40	100
100WPNOB	100	30		12	40	150
125WPNOB	125	35		15	44	200
150WPNOB	150	40		20	58	350
160WPNOB/SS	160	50		20	58	350
200WPNOB	200	50		20	60	500



WPNR Poly Nylon						
100WPNRB	100	34		12	41	200
125WPNRB	125	40		12	44	260



WPNB38 Poly Nylon						
100WPNB38	100	38		15	41	250
100WPNB38	100	50		17	56	280
125WPNB38	125	38		15	41	280
125WPNB38	125	50		17	56	340
150WPNB38	150	50		12/15	62/56	430
150WPNB38	150	45		20/25	58	450
200WPNB38	200	50		12/15	62/56	500
200WPNB38	200	50		20/25	58	600




WPXBJ Resilient Poly Nylon						
100WPXBJ	100	50		12	60	300
125WPXBJ	125	50		12	60	380
150WPXBJ	150	50		12	60	500
200WPXBJ	200	50		12	60	600



WOPUBJ Resilient Poly Nylon						
100WOPUBJ	100	50		17	60	200
125WOPUBJ	125	50		17	60	250
150WOPUBJ	150	50		17	60	300
200WOPUBJ	200	50		17	60	400

WHEELS



WHEELS



WEPN 80 SHORE A

Elastic Poly Nylon

80WEPN	80	32		12	40	100
100WEPN	100	32		12	40	150
125WEPN	125	32		12	40	175
150WEPN	150	42		20	60	200
200WEPN	200	50		20	60	250



WEPNBJM 82 SHORE A

Elastic Poly Nylon

100WEPNBJ	100	38		15	41	250
125WEPNBJ	125	38		15	41	280

**Elast
Prene**



WEPABJ 80 SHORE A

Elastic Polyurethane
on Aluminium Centre

100WEPABJ15	100	40		12	42	300
125WEPABJ15	125	40		12	44	350
160WEPABJ20	160	50		20	60	600
200WEPABJ20	200	50		20	60	800



WPTABJ

Polyurethane on
Aluminium Centre

80WPTABJ	80	30		12	40	180
100WPTABJ	100	40		15	44	250
125WPTABJ15	125	40		15	44	300
125WPTABJ	125	50		20/25	60	500
150WPTABJ	150	50		20/25	60	550
160WPTABJ	160	50		20/25	60	600
200WPTABJ	200	50		20/25	60	800



WPTPB

Polyurethane Cast Iron
PILOT BORE

125WPTPB	125	50		19.5/31.5	50	600
150WPTPB	150	50		19.5/31.5	52	900
200WPTPB	200	50		19.5/31.5	52	1200
250WPTPB	250	50		24.5/36.5	60	1400
300WPTPB	300	50		24.5/36.5	60	1500
200WPT75PB	200	75		24.5	60	1800
250WPT70PB	250	70		24.5	75	2000
300WPT75PB	300	75		24.5	75	2300

Extra High Resilience Polyurethane. Bore and keyway service available.

WHEELS



WHEELS



WIRPUBJ

Polyurethane on Cast Iron Core

100WIRPUBJ	100	50		17	60	260
125WIRPUBJ	125	50		17	60	350
150WIRPUBJ	150	50		17	60	400
200WIRPUBJ	200	50		17	60	450



WHPT

Polyurethane on Cast Iron Core

200WHPTBJ	200	75		20/25	82	1800
250WHPTBJ	250	75		20/25	82	2500
300WHPTBJ	300	75		20/25	82	2800
400WHPTBJ	400	100		30/35	108	4500



WPTBJ

Polyurethane on Cast Iron Centre

50WPT	50	14		12	17	80
100WPT38BJ	100	38		20/25	45	300
125WPT38BJ	125	38		20/25	43	450

100WPTBJ	100	50		20/25	60	450
125WPTBJ	125	50		20/25	60	550
150WPTBJ	150	50		20/25	60	800
200WPTBJ	200	50		20/25	60	1000
250WPTBJ	250	50		20/25	60	1300



200WPT75BJ	200	75		20/25	82	1400
250WPT75BJ	250	75		20/25	82	1800
300WPT75BJ	300	75		20/25	82	2200


200WPT100BJ	200	100		25/30/35	100	1800
250WPT100BJ	250	100		25/30/35	100	2000
300WPT100BJ	300	100		25/30/35	100	2600



WPTBJRP

Round Profile Polyurethane on Cast Iron Centre

100WPTBJRP	100	50		20/25	50	350
125WPTBJRP	125	50		20/25	56	400
150WPTBJRP	150	50		20/25	56	650
200WPTBJRP	200	50		20/25	56	800



WDIBJ

Ductile Iron

200WDIBJ	200	75		25	82	2500
250WDIBJ	250	75		25	82	2700
300WDIBJ	300	75		25	82	2900

WHEELS



WCI/B/BJ Cast Iron						
50WST	50	14		12	17	135
100WCI38B	100	38		12	46	350
100WCI38BJ	100	35		20	44	350
125WCI38BJ	125	35		20	44	400
100WCIBJ	100	50		20	60	450
125WCIBJ	125	40		20	60	650
150WCIBJ	150	45		20	60	900
200WCIBJ	200	45		20/25	60	1100
250WCIBJ	250	54		20/25	60	1500
WHT/G/BJ/WAN High Temperature Resistant Wheels						
100WHT 220 (PHENOLIC RESIN)	100	38		10	45	150
100WHTG280 (EPOXY RESIN)	100	38		15	40	200
100WRTBJHT - 250°C (RUBBER)	100	35		15	40	300
150WAN19 - 120°C (PHENOLIC RESIN)	150	50		19.1	56	400
200WAN19 - 120°C (PHENOLIC RESIN)	200	50		19.1	56	500
150WAN19 - 220°C (PHENOLIC RESIN)	150	50		19.1	56	400
200WAN19 - 220°C (PHENOLIC RESIN)	200	50		19.1	56	500
150WAN19 - 300°C (PHENOLIC RESIN)	150	50		19.1	56	400
200WAN19 - 300°C (PHENOLIC RESIN)	200	50		19.1	56	500

WHEELS



WHEELS



WNYBJG

Nylon

80WNYBJG	80	30		8/10	40	220
80WNYBJG/45	80	30		8/10	45	220
100WNYBJGHD	100	32		8/10	40	250
100WNYBJG/45	100	32		8/10	45	250
125WNYBJG	125	32		8/10	45	250



WPNBJG

Poly Nylon

100WPNBJG	100	35		8/10	45	200



WHTBJG

High Temperature Polymer Glass Fibre

80WHT	80	30		12	40/44	280
80WHTBJG*	80	30		8/10	40	280
80WHTBJG/45*	80	30		8/10	45	280
100WHT	100	32		12	40/44	300
100WHTBJG*	100	32		8/10	40	300
100WHTBJG/45*	100	32		8/10	45	300
125WHT	125	40		15	45	400
125WHTBJG*	125	40		8/10	44	400

*280°C FOR SHORT PERIODS ONLY



WPP

Polypropylene

50WPP	50	20		6	22	40
75WPP	75	21		8	30	50
80WPP	80	35		12	40	150
100WPPDL	100	26		12	32	80
100WPP	100	35		12	40	180
125WPP	125	26		12	32	100
80WPPB	80	35		12	40	150
100WPPB	100	35		12	40	180
125WPPB	125	35		12	44	220
50WPP-BLACK	50	20		6	22	40
75WPP-BLACK	75	21		8	30	50
100WPP-BLACK	100	26		12	32	80
125WPP-BLACK	125	26		12	32	100




WAPP

Nylon

100WAPPBJ	100	50		15	60	260
125WAPPBJ	125	50		15	60	350
150WAPPBJ	150	50		15	60	400
200WAPPBJ	200	50		15	60	450

WHEELS



WNY Nylon						
50WNY12	50	14		12	17	80
50WNY - BLACK	50	17		8	21	50
50WNY8	50	20		8	25	50
50WNYI	50	25		6.4	27	60
50WNYHD	50	30		8	40	60
63WNY	63	28		9.5	33	80
75WNYL	75	24		8	26	90
75WNY - BLACK	75	25		12	39	170
75WNY	75	25		12	39	170
75WNYI	75	31		12.7	40	110
80WNY	80	35		12	40	200
100WNY	100	35		12	40	200
125WNY	125	35		12	44	270
150WNY	150	40		20	58	350
150WNYHD	150	45		20	58	800
160WNY	160	45		20	58	350
200WNY	200	50		20	58	500

*Glass fibre nylon wheels available -40° - +130°.



WNYB Nylon						
80WNYB	80	35		12	40	200
100WNYB	100	35		12	40	200
100WNYB/45	100	32		12	45	250
125WNYB	125	35		12	44	270
125WNYBHD	125	45		20	58	750
150WNYB	150	40		20	58	350
160WNYB	160	45		20	58	350
200WNYB	200	50		20	58	500



WNYBJ Nylon						
100WNYBJHD	100	40		15	45	650
125WNYBJ	125	35		15	40	400
125WNYBJHD	125	45		20	58	750
150WNYBJ	150	45		20	58	700
150WNYBJHD	150	45		20	58	1000
200WNYBJ	200	50		20	58	800
200WNYBJHD	200	50		20	58	1000
250WNYBJ	250	60		25	60	1400



WCNYBJ Nylon						
200WCNYBJ	200	80		45	80	4500
250WCNYBJ	250	80		50	80	5000
300WCNYBJ	300	80		55	80	7000

WHEELS



WHEELS



WLBS Rubber on Steel						
350WLBSB	350	80		20/25/25.4	66	400
400WLBSB	400	100		20/25/25.4	66	700



WSHM Rubber on Plastic						
260WSHM25.4	260	95		25.4	59	125



WATP Pneumatic on Plastic						
200WATPB	200	50		20	60	75
260WATPB	260	85		20	75	125



WATM Pneumatic on Steel						
200WATMR	200	50		20	60	75
370WATMRBM	370	85		20/25/25.4	66	180
400WATMRBM	400	100		20/25/25.4	66	300
400WATMB	400	100		25	75	350



WATMBJ Pneumatic on Steel						
200WATMBJ	200	56		17	70	136
260WATMBJ	260	83		16	100	158
300WATMBJ	300	83		16	100	204
300WATMBJM25	300	105		25	75	200



WATMBJ OFFSET Pneumatic on Steel						
260WATMBJM16/56OSH	260	85		16	56	150

WHEELS



	WATP Flat Free PU Environmental Polyurethane						
	260WATPB/MICROCEL	260	85		20	75	125
	WATMRBM Flat Free PU Environmental Polyurethane						
	200WATMRBM/MICROCEL	200	50		20	58	125
	370WATMRBM/MICROCEL	370	85		20/25/25.4	60	180
	WATM Flat Free PU Environmental Polyurethane						
	400WATMRBM/MICROCEL	400	100		20/25/25.4	66	300
	WATPL Flat Free PU Environmental Polyurethane						
	400WATPLM254/75/MICROCEL	400	95		25.4	75	120
	400WATPLRBM254/75/MICROCEL	400	95		25.4	75	120
	WATML Flat Free PU Environmental Polyurethane						
	400WATMLM254/75/MICROCEL	400	95		25.4	75	120
	400WATMLRBM254/75/MICROCEL	400	95		25.4	75	120
	WATMBJ OFFSET Flat Free PU Environmental Polyurethane						
	260WATMBJM16/56OSH/MICROCEL	260	85		16	56	150